

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) ~~A Dropper~~ dropper cap for dispensing liquids in the form of drops from a container, the content of which can be put under pressure for dispensing, ~~with of the type having~~ a cap body in which a discharge channel having an intake opening and a restrictor device is arranged, ~~the improvement comprising characterized in that~~ the restrictor device (30) ~~is being~~ disposed upstream of the intake opening (21) of the discharge channel (20) ~~in flow direction~~ and the dropper cap having a bottom wall and a chamber wall that define an intermediate chamber located between the restrictor device and the intake opening.

2. Cancelled

3. Cancelled

4. (Currently Amended) ~~The Dropper~~ dropper cap as claimed in Claim 1 ~~Claims 1 to 3,~~ ~~characterized in that wherein the intermediate chamber and the discharge channel each have a volume and~~ the volume of the intermediate chamber (35) is greater than or equal to the volume of the discharge channel (20).

5. Cancelled.

6. (Currently Amended) ~~The Dropper~~ dropper cap as claimed in Claim 1 ~~5,~~ ~~characterized in that wherein~~ the restrictor device (30) is disposed in the chamber wall (32).

7. (Currently Amended) ~~The Dropper~~ dropper cap as claimed in ~~any one of Claims Claim 1 to 6,~~ ~~characterized in that wherein~~ the restrictor device (30) has at least one passage opening (31) whose cross section is smaller than the cross section of the intake opening (21) of the discharge channel (20).

8. (Currently Amended) The Dropper dropper cap as claimed in any one of Claims Claim 1 to 7, characterized in that wherein the restrictor device has at least one passage opening and the passage opening (31) lies opposite the intake opening (21).

9. (Currently Amended) The Dropper dropper cap as claimed in any one of Claims Claim 1 to 8, characterized in that wherein the restrictor device has at least one passage opening and the passage opening (31) is offset relative to the intake opening (21).

10. (Currently Amended) The Dropper dropper cap as claimed in any one of Claims 3 to 9, Claim 1 characterized in that wherein the chamber wall (32) comprises an annular wall (33) and a partition wall (34), where and the restrictor device (30) is positioned in the partition wall (34).

11. (Currently Amended) The Dropper dropper cap as claimed in any one of Claims 3 to 10 Claim 5, characterized in that wherein the chamber wall (32) is molded onto the cap body (11).

12. (Currently Amended) A Container container (1) for receiving a liquid that can be put under pressure for dispensing it the liquid from the container, the container having at least one container wall which can enclose the liquid and a container neck attached to the container wall, the with a container neck (3) holding with a dropper cap (10) for dispensing liquids in the form of drops as claimed in any one of Claims 1 to 11 the dropper cap comprised of a cap body in which a discharge channel having an intake opening and a restrictor device is arranged, and the restrictor device is disposed upstream of the intake opening of the discharge channel, the dropper cap having a bottom wall and a chamber wall that define an intermediate chamber located between the restrictor device and the intake opening.

13. (Currently Amended) A Container container for receiving a liquid which can be put under pressure for dispensing it from the container, ~~with the container of the type having a wall with an interior surface and~~ a container neck for receiving a dropper cap (10') for dispensing a liquid in the form of drops, with a cap body in which a discharge channel is arranged, ~~characterized in that~~ further comprising a partition wall attached to the interior surface of the wall (34'), in which a partition wall the restrictor device (30) is provided, is arranged in the interior (6) of the container (1).

14. (Currently Amended) The Container container as claimed in Claim 13 ~~characterized in that wherein~~ the partition wall (34') is ~~arranged~~ located in the container neck (3).

15. (Currently Amended) The Container container as claimed in ~~Claims~~ Claim 13 ~~or 14~~ ~~characterized in that wherein~~ the partition wall (34') is arranged perpendicular to a longitudinal axis of the container-axis.

16. (Currently Amended) The Container container as claimed in ~~any one of Claims Claim 13 to 15~~ ~~characterized in that wherein~~ the restrictor device (30) comprises at least one passage opening (31) in the partition wall (34') whose cross section is smaller than ~~the~~ a cross section of the intake opening (21) of the discharge channel (20).

17. (Currently Amended) The Container container as claimed in Claim 16 ~~characterized in that wherein~~ the passage opening (31) lies opposite the intake opening (21).

18. (Currently Amended) The Container container as claimed in ~~either one of Claim 16 or 17~~ ~~characterized in that wherein~~ the passage opening (31) is offset relative to the intake opening(21).

19. (Currently Amended) The Container container as claimed in ~~any one of Claims 13 to 18~~ ~~characterized in that~~ Claim 13 wherein the discharge channel has a volume and that the

partition wall (34') is arranged in such a way to define a chamber ~~that the volume of the gap~~ between the dropper cap (10') and the partition wall, (34') is the chamber having a volume greater than or equal to the volume of the discharge channel (20).

20. (Currently Amended) ~~The Container~~ container as claimed in ~~any one of Claims~~ Claim 12 to 19 ~~characterized by a flexible~~ wherein at least a portion of the at least one container wall ~~(2) is flexible.~~

21. (Currently Amended) ~~The Container~~ container as claimed in ~~any one of Claims~~ Claim 12 to 19, ~~characterized in that it has a pressure device or can~~ wherein the at least one container wall or the container neck is configured to be connected to the a pressure device.

22. (New) The container as claimed in claim 21 also comprising a pressure device connected to at least one of the container neck and the container wall.

23. (New) The container as claimed in Claim 12 wherein the intermediate chamber and the discharge chamber each have a volume and the volume of the intermediate chamber is greater than or equal to the volume of the discharge channel.

24. (New) The container as claimed in Claim 12 wherein the restrictor device is disposed in the chamber wall.

25. (New) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening whose cross section is smaller than the cross section of the intake opening of the discharge channel.

26. (New) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening and the passage opening lies opposite the intake opening.

27. (New) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening and the passage opening is offset relative to the intake opening.

28. (New) The container as claimed in Claim 12 wherein the chamber wall comprises an annular wall and a partition wall and the restrictor device is positioned in the partition wall.

29. (New) The container as claimed in Claim 12, wherein the chamber wall is molded onto the cap body.

30. (New) The container as claimed in Claim 13 wherein at least a portion of the container wall is flexible.

31. (New) The container as claimed in Claim 13 wherein the container wall or the container neck is configured to be connected to a pressure device.

32. (New) The container as claimed in claim 31 also comprising a pressure device connected to at least one of the container neck and the container wall.